

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVED

WA-I-065

DATE ENTERED

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

SEE INSTRUCTIONS IN HOW TO COMPLETE NATIONAL REGISTER FORMS
TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS

1 NAME

HISTORIC

AND/OR COMMON

ANTIETAM HALL

2 LOCATION

STREET & NUMBER

525 Indian Lane

NOT FOR PUBLICATION

CITY, TOWN

Hagerstown

VICINITY OF

Sixth

CONGRESSIONAL DISTRICT

STATE

Maryland

CODE

24

COUNTY

Washington

CODE

043

3 CLASSIFICATION

CATEGORY

DISTRICT

XX BUILDING(S)

STRUCTURE

SITE

OBJECT

OWNERSHIP

PUBLIC

XX PRIVATE

BOTH

PUBLIC ACQUISITION

IN PROCESS

BEING CONSIDERED

STATUS

XX OCCUPIED

UNOCCUPIED

WORK IN PROGRESS

ACCESSIBLE

YES: RESTRICTED

YES: UNRESTRICTED

XX No

PRESENT USE

XX AGRICULTURE

MUSEUM

COMMERCIAL

PARK

EDUCATIONAL

XX PRIVATE RESIDENCE

ENTERTAINMENT

RELIGIOUS

GOVERNMENT

SCIENTIFIC

INDUSTRIAL

TRANSPORTATION

MILITARY

OTHER:

4 OWNER OF PROPERTY

NAME

Mr. and Mrs. Stuart B. Abraham (Ida Jean)

STREET & NUMBER

525 Indian Lane

CITY, TOWN

Hagerstown

VICINITY OF

STATE

Maryland 21740

5 LOCATION OF LEGAL DESCRIPTION

COURTHOUSE,
REGISTRY OF DEEDS, ETC.

Washington County Court House

STREET & NUMBER

West Washington Street

CITY, TOWN

Hagerstown

STATE

Maryland 21740

6 REPRESENTATION IN EXISTING SURVEYS

TITLE

DATE

FEDERAL STATE COUNTY LOCAL

DEPOSITORY FOR
SURVEY RECORDS

CITY, TOWN

STATE

DESCRIPTION

WA-I-065

CONDITION

☒ EXCELLENT
☐ GOOD
☐ FAIR

☐ DETERIORATED
☐ RUINS
☐ UNEXPOSED

CHECK ONE

☐ UNALTERED
☒ ALTERED

CHECK ONE

☒ ORIGINAL SITE
☐ MOVED DATE _____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Antietam Hall is located at 525 Indian Lane, Hagerstown, Washington County, Maryland about 1/2 mile south of Maryland Route 64. It is situated on an area of level ground and faces northeast.

The structure is a two-story, six-bay brick dwelling, painted yellow with black and white trim.

The walls are set on low limestone foundations. The bricks at the front or northeast elevation and those of the northwest end wall are set in Flemish bond. At the rear of the house, English garden wall bonding is displayed with three courses of stretchers between rows of header bricks. The projecting portion of the rear elevation displays common bonding. Decorative work associated with the exterior walls includes flat brick arches over the windows. A quarter round brick water-table extends along the entire front elevation.

Windows and doors are spaced evenly in the facade and appear to be grouped in pairs. All windows of the front elevation contain nine-over-six pane double-hung sashes which are held within wide wooden window frames with pegged joining. The frames are trimmed with quarter round molding. Some of the windows in the other elevations contain six-over-six or two-over-two pane sashes within narrow frames. Windows of the front wall are flanked with louvered shutters.

The main entrance is located in the second bay from the north end of the facade wall. The entrance way is flanked by fluted pilasters projecting from the wooden trim. The top of the woodwork is concealed by the porch ceiling. The door jambs are finished with quadrangular panels which match the double doors. A transom with triangular panes is present over the door. Balancing the main entrance is a door located in the second bay from the east end of the front elevation. This entrance is without decorative trim and appears to have had a transom which has been enclosed. Other entrances are located in the rear elevation.

A one-story, hipped roof entrance porch extends along the entire front elevation. It is supported by square posts with chamfered edges. Pilasters matching the main door trim are located at the ends of the front wall. A two-story porch extends along most of the rear wall. Part of this porch has been enclosed with brick.

The roof is covered with slate and terminates with a barge board set directly against the end walls. Eaves boxing at the front elevation is trimmed with a course of molding. Large brick chimneys with several courses of corbelling at their tops are located inside each gable end. An interior flue is located at the ridge between the second and third bays from the south end. A fourth chimney, somewhat smaller than the

WA-I-065

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY

RECEIVED

DATE ENTERED

Antietam Hall
Washington County
Maryland

CONTINUATION SHEET

ITEM NUMBER 7 PAGE 1

DESCRIPTION

others, rises from inside the southeast gable end several feet below the ridge.

The main entrance opens into a spacious stair hall with the staircase set into a recess in the southeast wall of the hallway. Two rooms are located northwest of the hall, while to the southeast is one large room with a sizable fireplace. Adjoining this room is a kitchen with a large service fireplace behind which is another room, apparently an addition.

Rooms at the second story are divided by a partial hall running perpendicular to the end walls. Several of the second story rooms display original decorative stenciling in red and black depicting a pineapple motif.

Interior doors have six raised panels with plain quarter round trim. Several nails extracted from the attic floor were hand wrought. The first floor joists consist of heavy squared planks or logs set snugly against each other. Over these is a layer of mortar several inches thick. The flooring is placed above the mortar.

The house is in excellent condition and stands on a tract containing 41.66 acres.

Near the house is a one-and-a-half story, four-bay brick secondary dwelling. Its bricks are laid in flemish bond at the front elevation with a quarter round molded brick watertable extending the length of the front wall. Other elevations display common bonding. Two identical doors are present in the front elevation. The openings have narrow framing which does not show pegged joining. A large barn and other outbuildings are also present.

SIGNIFICANCE

WA-I-065

PERIOD		AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW			
<input type="checkbox"/> PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION	
<input type="checkbox"/> 1400-1499	<input type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE	
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE	
<input type="checkbox"/> 1600-1699	<input checked="" type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN	
<input checked="" type="checkbox"/> 1700-1799	<input type="checkbox"/> ART	<input type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER	
<input type="checkbox"/> 1800-1899	<input type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input type="checkbox"/> TRANSPORTATION	
<input type="checkbox"/> 1900-	<input type="checkbox"/> COMMUNICATIONS	<input type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input checked="" type="checkbox"/> OTHER (SPECIFY)	Original stencilling is present in several second story rooms.
		<input type="checkbox"/> INVENTION			

SPECIFIC DATES

BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

The area of significance of Antietam Hall is its architecture. The structure is also important for the original decorative stenciling which is present in several rooms on the second story.

Although no exact construction date has been established for this house, it has several features characteristic of 18th century dwellings in Washington County. The presence of a watertable and windows with wide wooden frames showing pegged joining are indicative of early construction. The use of wrought nails and raised panel doors at the interior as well as the method of construction employed in the first story flooring all suggest an 18th century building date.

The presence of early stenciling is particularly outstanding and certainly rare in Washington County. Few, if any, other examples are in existence in the area.

Early records concerning Antietam Hall are not definitive. It appears, however, that Ignatius Perre, who acquired a 500-acre land patent "Brother's Request" in 1744, sold 100 acres to George Circule (Frederick County Land Records J/1129) in 1765. In 1769 Circule, who apparently renamed the land "George's Lot," sold 100 acres to Martin Rohrer (Frederick County Deed M/182). Martin Rohrer, who eventually acquired more of the land, held the property until his death in 1806. In 1807 500 acres, including parts of "Brother's Request," "Small Hopes" and "The Hurry," was acquired by Rohrer's son-in-law, Christian Newcomer. If the house is an 18th century structure, it was probably built during the ownership of Martin Rohrer. According to Scharf's History of Western Maryland, written in 1882, Martin Rohrer settled on "what is now known as the Bryan farm, lying on the Antietam Creek and near the Cavetown turnpike. . . ." The Bryan family owned Antietam Hall from 1847 to 1904. Martin Rohrer is buried in a family cemetery located near the Jacob Rohrer house at the Trovinger Mill.

¹Thomas J. Scharf, The History of Western Maryland, Vol. II, Philadelphia: Louis H. Everts, (1882), p. 1053.

MAJOR BIBLIOGRAPHICAL REFERENCES

WA-I-065

Scharf, Thomas J. The History of Western Maryland Vol. II
Philadelphia, Louis H. Everts, 1882.

GEOGRAPHICAL DATA

ACREAGE OF NOMINATED PROPERTY 41.66 acres

UTM REFERENCES

A 18 270280 4390930
ZONE EASTING NORTHING
C 18 269940 4390420

B 18 270220 4390600
ZONE EASTING NORTHING
D 18 269420 4390300

VERBAL BOUNDARY DESCRIPTION

E 18/269370/4390430

F 18/269700/4390820

See Continuation Sheet #2

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE	CODE	COUNTY	CODE
STATE	CODE	COUNTY	CODE

FORM PREPARED BY

njm

NAME / TITLE

Paula Stoner Dickey, Consultant

ORGANIZATION

Washington County Historical Sites Survey

DATE

September 1974

STREET & NUMBER

Court House Annex

TELEPHONE

(301) 791-3065

CITY OR TOWN

Hagerstown

STATE

Maryland 21740

STATE HISTORIC PRESERVATION OFFICER CERTIFICATION

THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:

NATIONAL ☐

STATE ☒

LOCAL ☐

As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service.

STATE HISTORIC PRESERVATION OFFICER SIGNATURE

John M. Pearce 7/26/77

TITLE

DATE

FOR NPS USE ONLY

I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER

DATE

DIRECTOR, OFFICE OF ARCHEOLOGY AND HISTORIC PRESERVATION

ATTEST:

DATE

KEEPER OF THE NATIONAL REGISTER

NOMINATION FORM
for the
NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

SEE INSTRUCTIONS

1. NAME				
COMMON: Antietam Hall				
AND/OR HISTORIC:				
2. LOCATION				
STREET AND NUMBER: 525 Antietam Lane				
CITY OR TOWN: Hagerstown				
STATE Maryland		COUNTY: Washington		
3. CLASSIFICATION				
CATEGORY (Check One)	OWNERSHIP		STATUS	ACCESSIBLE TO THE PUBLIC
<input type="checkbox"/> District <input type="checkbox"/> Site <input type="checkbox"/> Object	<input type="checkbox"/> Public <input checked="" type="checkbox"/> Private <input type="checkbox"/> Both		<input checked="" type="checkbox"/> Occupied <input type="checkbox"/> Unoccupied <input type="checkbox"/> Preservation work in progress	Yes: <input type="checkbox"/> Restricted <input type="checkbox"/> Unrestricted <input checked="" type="checkbox"/> No
PRESENT USE (Check One or More as Appropriate)				
<input checked="" type="checkbox"/> Agricultural <input type="checkbox"/> Commercial <input type="checkbox"/> Educational <input type="checkbox"/> Entertainment	<input type="checkbox"/> Government <input type="checkbox"/> Industrial <input type="checkbox"/> Military <input type="checkbox"/> Museum	<input type="checkbox"/> Park <input checked="" type="checkbox"/> Private Residence <input type="checkbox"/> Religious <input type="checkbox"/> Scientific	<input type="checkbox"/> Transportation <input type="checkbox"/> Other (Specify) _____	<input type="checkbox"/> Comments _____
4. OWNER OF PROPERTY				
OWNER'S NAME: Stuart B. Abraham and Ida Jean Abraham				
STREET AND NUMBER: 525 Indian Lane				
CITY OR TOWN: Hagerstown		STATE: Maryland		
5. LOCATION OF LEGAL DESCRIPTION				
COURTHOUSE, REGISTRY OF DEEDS, ETC.: Washington County Court House				
STREET AND NUMBER: West Washington Street				
CITY OR TOWN: Hagerstown		STATE: Maryland		
Title Reference of Current Deed (Book & Pg. #): 364/721				
6. REPRESENTATION IN EXISTING SURVEYS				
TITLE OF SURVEY:				
DATE OF SURVEY: <input type="checkbox"/> Federal <input type="checkbox"/> State <input type="checkbox"/> County <input type="checkbox"/> Local				
DEPOSITORY FOR SURVEY RECORDS:				
STREET AND NUMBER:				
CITY OR TOWN:		STATE:		

7. DESCRIPTION	
CONDITION	(Check One) <input checked="" type="checkbox"/> Excellent <input type="checkbox"/> Good <input type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/> Ruins <input type="checkbox"/> Unexposed
	<div>(Check One)</div> <input checked="" type="checkbox"/> Altered <input type="checkbox"/> Unaltered
<div>(Check One)</div> <input type="checkbox"/> Moved <input checked="" type="checkbox"/> Original Site	
DESCRIBE THE PRESENT AND ORIGINAL (If known) PHYSICAL APPEARANCE	
<p>Antietam Hall is located at 525 Indian Lane, Hagerstown, Washington County, Maryland, about 1/2 mile south of Md. Route 64. It is situated on an area of level ground and faces northeast.</p> <p>The structure is a two-story, six-bay brick dwelling, painted yellow with black and white trim.</p> <p>The walls are set on low limestone foundations. The bricks at the front or northeast elevation and those of the northwest end wall are set in flemish bond. At the rear of the house, English garden wall bonding is displayed with three courses of stretchers between rows of header bricks. The projecting portion of the rear elevation displays common bonding. Decorative work associated with the exterior walls includes flat brick arches over the windows. A quarter round brick watertable extends along the entire front elevation.</p> <p>Windows and doors are spaced evenly in the facade and appear to be grouped in pairs. All windows of the front elevation contain nine-over-six pane double-hung sashes which are held within wide wooden window frames with pegged joining. The frames are trimmed with quarter round molding. Some of the windows in the other elevations contain six-over-six or two-over-two pane sashes within narrow frames. Windows of the front wall are flanked with louvered shutters.</p> <p>The main entrance is located in the second bay from the north end of the facade wall. The entrance way is flanked by fluted pilasters projecting from the wooden trim. The top of the woodwork is concealed by the porch ceiling. The door jambs are finished with quadrangular panels which match the double doors. A transom with triangular panes is present over the door. Balancing the main entrance is a door located in the second bay from the east end of the front elevation. This entrance is without decorative trim and appears to have had a transom which has been enclosed. Other entrances are located in the rear elevation.</p> <p>A one-story, hipped roof entrance porch extends along the entire front elevation. It is supported by square posts with chamfered edges. Pilasters matching the main door trim are located at the ends of the front wall. A two-story porch extends along most of the rear wall. Part of this porch has been enclosed with brick.</p> <p>The roof is covered with slate and terminates with a barge board set directly against the end walls. Eaves boxing at the front elevation is trimmed with a course of molding. Large brick chimneys with several courses of corbeling at their tops are located inside each gable end. An interior flue is located at the ridge between the second and third bays from the south end. A fourth chimney, somewhat smaller than the others, rises from inside the southeast gable end several feet below the ridge.</p> <p>The main entrance opens into a spacious stair hall with the staircase set into a recess in the southeast wall of the hallway. Two rooms are located northwest of the hall, while to the southeast is one large room with a sizable fireplace. Adjoining this room is a kitchen with a large service fireplace behind which is another room, apparently an addition.</p> <p>Rooms at the second story are divided by a partial hall running perpendicular to the end walls. Several of the second story rooms display original decorative stenciling in red and black depicting a pineapple motif.</p> <p>Interior doors have six raised panels with plain quarter round trim.</p>	

CONTINUED ON ATTACHED SHEET..

SEE INSTRUCTIONS

B. SIGNIFICANCE

PERIOD (Check One or More as Appropriate)

- ☐ Pre-Columbian ☐ 16th Century ☒ 18th Century ☐ 20th Century
☐ 15th Century ☐ 17th Century ☐ 19th Century

SPECIFIC DATE(S) (If Applicable and Known)

AREAS OF SIGNIFICANCE (Check One or More as Appropriate)

- | | | | |
|--|---------------------------------------|--|--|
| <input type="checkbox"/> Aboriginal | <input type="checkbox"/> Education | <input type="checkbox"/> Political | <input type="checkbox"/> Urban Planning |
| <input type="checkbox"/> Prehistoric | <input type="checkbox"/> Engineering | <input type="checkbox"/> Religion/Philosophy | <input type="checkbox"/> Other (Specify) |
| <input type="checkbox"/> Historic | <input type="checkbox"/> Industry | <input type="checkbox"/> Science | original stenciling |
| <input type="checkbox"/> Agriculture | <input type="checkbox"/> Invention | <input type="checkbox"/> Sculpture | is present in several |
| <input checked="" type="checkbox"/> Architecture | <input type="checkbox"/> Landscape | <input type="checkbox"/> Social/Humanitarian | second story rooms. |
| <input type="checkbox"/> Art | <input type="checkbox"/> Architecture | <input type="checkbox"/> Theater | |
| <input type="checkbox"/> Commerce | <input type="checkbox"/> Literature | <input type="checkbox"/> Transportation | |
| <input type="checkbox"/> Communications | <input type="checkbox"/> Military | | |
| <input type="checkbox"/> Conservation | <input type="checkbox"/> Music | | |

STATEMENT OF SIGNIFICANCE

The area of significance of Antietam Hall is its architecture. The structure is also important for the original decorative stenciling which is present in several rooms on the second story.

Although no exact construction date has been established for this house, it has several features characteristic of 18th century dwellings in Washington County. The presence of a watertable and windows with wide wooden frames showing pegged joining are indicative of early construction. The use of wrought nails and raised panel doors at the interior as well as the method of construction employed in the first story flooring all suggest an 18th century building date.

The presence of early stenciling is particularly outstanding and certainly rare in Washington County. Few, if any, other examples are in existence in the area.

Early records concerning Antietam Hall are not definitive. It appears, however, that Ignatius Perre, who acquired a 500-acre land patent, "Brother's Request" in 1744, sold 100 acres to George Circule (Frederick Co. land records J/1129) in 1765. In 1769, Circule who apparently renamed the land "George's Lot" sold 100 acres to Martin Rohrer. (Frederick Co. deed book M/182). Martin Rohrer, who eventually acquired more of the land held the property until his death in 1806. In 1807, 500 acres including parts of "Brother's Request," "Small Hopes" and "The Hurry" was acquired by Rohrer's son-in-law, Christian Newcomer. If the house is an 18th century structure, it was probably built during the ownership of Martin Rohrer. According to Scharf's History of Western Maryland, written in 1882, Martin Rohrer settled on "what is now known as the Bryan farm, lying on the Antietam Creek and near the Cavetown turnpike..."¹ The Bryan family owned Antietam Hall from 1847 to 1904. Martin Rohrer is buried in a family cemetery located near the Jacob Rohrer house at the Trovinger Mill.

¹Thomas J. Scharf, The History of Western Maryland, Vol. II, Philadelphia: Louis H. Everts, (1882), p. 1053.

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Scharf, Thomas J., The History of Western Maryland, Vol. II, Philadelphia, Louis H. Everts, 1882.

10. GEOGRAPHICAL DATA

LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY			O R	LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES		
CORNER	LATITUDE	LONGITUDE		LATITUDE	LONGITUDE	
	Degrees Minutes Seconds	Degrees Minutes Seconds		Degrees Minutes Seconds	Degrees Minutes Seconds	
NW	° ' "	° ' "		° ' "	° ' "	
NE	° ' "	° ' "		° ' "	° ' "	
SE	° ' "	° ' "		° ' "	° ' "	
SW	° ' "	° ' "		° ' "	° ' "	

APPROXIMATE ACREAGE OF NOMINATED PROPERTY: 41.66 acres

Acreage Justification:

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE:		COUNTY:	
STATE:		COUNTY:	
STATE:		COUNTY:	
STATE:		COUNTY:	

11. FORM PREPARED BY

NAME AND TITLE: Paula Stoner Dickey, Consultant	
ORGANIZATION Washington County Historical Sites Survey	DATE September, 1974
STREET AND NUMBER: Court House Annex	
CITY OR TOWN: Hagerstown	STATE Maryland

12. State Liaison Officer Review: (Office Use Only)

Significance of this property is:

National ☐ State ☐ Local ☐

Signature _____

SEE INSTRUCTIONS

Liber S, Folio 949, October 31, 1807

Grantor: David Newcomer

Grantee: Christian Newcomer

500 acres, "Brother's Request," "Small Hopes," "The Hurry" -- 18 L

Liber S, Folio 945, October 31, 1807

Grantors: Daniel Rench and Christian Newcomer, executors for Martin Rohrer's estate

Grantee: David Newcomer

500 acres, 18 L

WA-I-065 -- Description #7 Continued

Several nails extracted from the attic floor were hand wrought. The first floor joists consist of heavy squared planks or logs set snugly against each other. Over these is a layer of mortar several inches thick. The flooring is placed above the mortar.

The house is in excellent condition and stands on a tract containing 41.66 acres. Near the house is a one-and-a-half story, four-bay brick secondary dwelling. Its bricks are laid in flemish bond at the front elevation with a quarter round molded brick watertable extending the length of the front wall. Other elevations display common bonding. Two identical doors are present in the front elevation. The openings have narrow framing which does not show pegged joining. A large barn and other out-buildings are also present.



Antietam Hall
WA-I-065

24 000

0 4000 5000 6000 7000 FEET

1 KILOMETER

VAL 20 FEET
SEA LEVEL

1

MAP ACCURACY STANDARDS
NATL. BUREAU OF SURVEY, WASHINGTON, D. C. 20242

Revisions shown in purple compiled by Geological Survey from
aerial photographs taken 1971. This information not field checked

1953

ROAD CLASSIFICATION

Heavy-duty Light-duty

Medium-duty Unimproved



U. S. Route State

Interstate Route


HAGERSTOWN
NW 1/4 HAGERSTOWN 1
N3937.5-W77

QUADRANGLE LOCATION

MARYLAND



Vertical scale: 20 FEET
Horizontal scale: 1 KILOMETER




ROAD CLASSIFICATION		
Heavy-duty	4 LANE 6 LANE	Light-duty
Medium-duty	4 LANE 6 LANE	Unimproved dirt
U. S. Route	State Route	Interstate Route

HAGERSTOWN, MD
NW/4 HAGERSTOWN 15' QUAD
N3937.5-W7737.5/7



MAP ACCURACY STANDARDS
SURVEY, WASHINGTON, D. C. 20242
AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled by Geological Survey from
aerial photographs taken 1971. This information not field checked
Purple tint indicates extension of urban areas

1953
PHOTOREVISED 1971
AMS 5463 II NW-SERIES




WA-I-065



WA-I-065

WA-I-065





WA-I-065 ANTETPAH WALL

Paula Dickey 11/1973



WF-I-065 PATTER HALL

Pasha Dickey 11/1973



WA-I-065 АНПЕТНО: НАЦ

Panda Dickey 11/19/13



WA-I-065 ANTETP: HILL

Paula Dickey 11/1973



WA-I-006 ANTETPA: HALL

Paula Dickey 11/1973



W-1-065 ANTETAP HILL

Panda Dickey 11/19/73